

COMPOSITION

Luiz Cream: Each gram cream contains Luliconazole INN 10 mg.

PHARMACOLOGY

Luliconazole is an antifungal that belongs to the azole class. Luliconazole appears to inhibit ergosterol synthesis by inhibiting the enzyme lanosterol demethylase. Inhibition of this enzyme's activity by azoles results in decreased amounts of ergosterol, a constituent of fungal cell membranes and a corresponding accumulation of lanosterol.

INDICATIONS

Luliconazole Cream is indicated for the topical treatment of interdigital Tinea Pedis, Tinea Cruris and Tinea Corporis.

DOSAGE & ADMINISTRATION

A thin layer of **Luiz Cream**, 1% should be applied to the affected area and approximately 1 inch of the immediate surrounding area(s). In case of-*Tinea Pedis:* Once daily for two (2) weeks or as directed by the physician. *Tinea Cruris or Tinea Corporis:* Once daily for one (1) week or as directed by the physician.

CONTRAINDICATION

No information is available.

SIDE EFFECTS

The most common adverse reaction (<1%) is application site reactions.

USE IN SPECIFIC POPULATIONS

Use in Pregnancy: There are no adequate and well-controlled studies of Luliconazole 1% Cream in pregnant women. Luliconazole 1% Cream should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

 $\mbox{\bf Nursing \ Mothers:}$ It is not known whether Luliconazole is excreted in human milk.

Use in Children: The safety and effectiveness of **Luliconazole 1% Cream** in pediatric patients have not been established. The number of pediatric patients > 12 years of age were too small to adequately assess safety and efficacy. **Use in Elderly Paitents:** No special precautions are necessary in the elderly.

DRUG INTERACTION

No specific data found.

STORAGE

Store below 30°C in dry place & protect from light. Keep out of the reach of children.

PACKING

Luiz 10 g Cream: Each Pack contains 10 g cream in a laminated tube. Luiz 20 g Cream: Each Pack contains 20 g cream in a laminated tube.

